

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	10/090251	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:40
S2	2	"6617877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:53
S3	3606	serializer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:53
S4	1307	375/219.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:53
S5	1073	375/219.ccls. and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:56
S9	0	tranceiver with (first adj data adj rate and second adj data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:58
S10	2	tranceiver same (first adj data adj rate and second adj data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:58
S11	4	tranceiver and (first adj data adj rate and second adj data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:01

EAST Search History

S12	61	serializer and (first adj2 data adj S2 rate) and (second adj2 data adj2 rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:03
S13	37	serializer and (first adj2 data adj S2 rate) and (second adj2 data adj2 rate) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:04
S14	28	serializer and (first adj2 data adj2 rate) and (second adj2 data adj2 rate) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:41
S15	614	serializer with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:13
S16	823	serializer with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:13
S17	165	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:13
S18	872	(first adj data adj rate) and (second adj data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:56
S19	5	S15 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:55
S20	91	((first adj data adj rate) and (second adj data adj rate)) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:57

EAST Search History

S21	72	((first adj data adj rate) and (second adj data adj rate)) with interface and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:12
S22	0	((first adj data adj rate) and (second adj data adj rate)) with interface and serializer and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:17
S23	3	((first adj data adj rate) and (second adj data adj rate)) with interface with convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:33
S24	308	data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:35
S25	14879	(dual adj mode) data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:33
S26	0	(dual adj mode) with data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:28
S27	0	(plural\$4 adj mode) with data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:34
S28	1	(dual adj mode) and data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:35
S29	27	((first adj data adj rate) and (second adj data adj rate)) with data adj rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:22

EAST Search History

S30	28	((first adj data adj rate) and (second adj data adj rate)) with rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:23
S31	0	((first adj data adj rate) and (second adj data adj rate)) with rate adj convert\$4 and serializer and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:23
S32	1	(dual adj mode) with rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:37
S33	3	((plural\$4 or dual) adj3 mode) with rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:39
S34	45	(parallel adj data) same rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:49
S35	4	(parallel adj data) same rate adj convert\$4 and @ad<="20020301" not (serial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:47
S36	0	multi adj mode same rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:50
S37	2	(first adj mode and second adj mode) with rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:50
S38	5	(first adj mode and second adj mode) same rate adj convert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:54

EAST Search History

S39	3307	upconvert\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 17:53
S40	2	"5349612".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 17:55
S41	2	"5400370".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:58
S42	46	("4821297" "5052026" "5208839").PN. OR ("5400370").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 17:55
S43	50	("4763327" "4805195" "4899071" "5109394" "5146121" "5159205").PN. OR ("5349612").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 17:57
S44	12	US-5274570-\$.DID. OR US-5550782-\$.DID. OR US-5339262-\$.DID. OR US-5552722-\$.DID. OR US-6467009-\$.DID. OR US-5740404-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:03
S45	20	US-4758985-\$.DID. OR US-0142625-\$.DID. OR US-4855669-\$.DID. OR US-5274570-\$.DID. OR US-5550782-\$.DID. OR US-5552722-\$.DID. OR US-6467009-\$.DID. OR US-5740404-\$.DID. OR US-5600845-\$.DID. OR US-5574930-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:06
S46	20	US-0573763-\$.DID. OR US-5748979-\$.DID. OR US-0602648-\$.DID. OR US-5500943-\$.DID. OR US-5574942-\$.DID. OR US-6483342-\$.DID. OR US-5732250-\$.DID. OR US-5889788-\$.DID. OR US-5874834-\$.DID. OR US-5835405-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:39
S47	8	60l1407.pn. or "6172990".pn. or "5760607".pn. or "5892961".pn. or 65l0548.pn. or 6l7854l.pn. or 59l4902.pn. or 6l5405l.pn. or 6181l63.pn. or "6356987".pn. or 630l696.pn. or 62l1697.pn. or 6l63l66.pn. or 627245l.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:47
S48	8	"60l1407".pn. or "6172990".pn. or "5760607".pn. or "5892961".pn. or "65l0548".pn. or "6l7854l".pn. or "59l4902".pn. or "6l5405l".pn. or "6181l63".pn. or "6356987".pn. or "630l696".pn. or "62l1697".pn. or "6l63l66".pn. or "627245l".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:50

EAST Search History

S49	27	"6519753".pn. or "6588006".pn. or "6539508".pn. or "6587995".pn. or "6242945".pn. or "6460172".pn. or "6353331".pn. or "6507942".pn. or "6518787".pn. or "6611951".pn. or "6522167".pn. or "6532572".pn. or "6541991".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:54
S50	20	09/968446	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:59
S51	1186	serializ\$4 and data adj3 rate with (select\$4 or control\$4 chang\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 12:00
S52	852	serializ\$4 and data adj3 rate with (select\$4 or control\$4 chang\$5) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 12:01
S53	35	serializ\$4 with data adj3 rate with (select\$4 or control\$4 chang\$5) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 12:05
S54	1307	interface with data adj3 rate with (select\$4 or control\$4 chang\$5) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 12:06
S55	22	interface with data adj3 rate with (select\$4 or control\$4 chang\$5) same (first adj data adj rate and second adj data adj rate) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:19
S56	177	interface with (output or deliver\$4 or transmit\$5) near3 data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:21
S57	88415	interface with (first data adj rate) with (second data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:21

EAST Search History

S58	162	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:22
S59	38	interface with (receiv\$4 or input\$4) with (first adj data adj rate) with (second adj data adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 16:23
S60	3	S56 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:27
S61	18	output with data adj rate with "same" with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:28
S62	12	output with data adj rate with "same" with interface and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:31
S63	12	output with first adj2 data adj rate with interface and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:31
S64	6	input with first adj2 data adj rate with interface with second adj data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 14:19
S65	5	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:35
S66	1366	cory.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:35

EAST Search History

S67	4	cory.in. and serializer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:38
S68	9	transmit adj interface with select\$4 with speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:40
S69	0	transmit adj interface with select\$4 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:40
S70	245	interface with select\$4 with data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:41
S71	168	interface with select\$4 with data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S72	22045659	interface with select\$4 with data adj rate with inputand @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S73	26	interface with select\$4 with data adj rate with input and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S74	5	serializer with first adj data adj rate with second adj data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:44
S75	4	serializer with first adj data adj rate with second adj data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:44

EAST Search History

S76	13	serializer and first adj data adj rate with second adj data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:54
S77	337	interfac\$4 and first adj data adj rate with second adj data adj rate and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:54
S78	176	interfac\$4 and (receiv\$4 or input\$4) with (first adj data adj rate and second adj data adj rate) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:55
S79	45	interfac\$4 with (receiv\$4 or input\$4) with (first adj data adj rate and second adj data adj rate) and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:57
S80	43	interfac\$4 with (receiv\$4 or input\$4) with (first adj data adj rate and second adj data adj rate) and (output\$4 or deliver\$4 transmit\$5) with (second adj data adj rate or firstr adj data adj rate)and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 12:42
S81	12	rate adj convert\$4 with (receiv\$4 or input\$4) with (first adj data adj rate and second adj data adj rate) and (output\$4 or deliver\$4 transmit\$5) with (second adj data adj rate or firstr adj data adj rate)and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 12:59
S82	5	(rate adj convert\$4) with (receiv\$4 or input\$4) with (first adj data adj rate and second adj data adj rate) and (output\$4 or deliver\$4 transmit\$5) with (second adj data adj rate or firstr adj data adj rate) and interfac\$4 and @ad<="20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 12:43